

| S/N | <u>Case No</u>  | <u>Date</u>  | <u>Activity</u>   | <u>Remark</u>                                       |
|-----|---|--|---|---|
| 1.  | <b>Case No. - 1715/2013</b> Shri M.G. Chobey, Engineer- in Chief Department of Water Resources, Tulsi Nagar, Bhopal (M.P.) – 462003.  | 5058 dtd. 23-01-17.<br>rec. dt. 24/01/17.  | <b>Tarped Tank Project</b> Gross Command Area – 5255 ha., Cultivable Command Area - 4000 ha., Catchment Area - 175 Sq.km., Earth Dam Lenth – 4065 M, Left Flank – 1740 M, Right Flank – 2325 M, Maximum height of Dam – 28.25 M, at Village – Jetpura, Tehsil – Chhatarpur, Distt. – Chhatarpur ( M.P.)<br><b>ToR Valid up to 10/10/2017( 284<sup>th</sup> SEAC Meeting dt. 26<sup>th</sup> November 2016).</b> | <b><u>FoR – EIA Presentation ( River Valley</u></b> |
| 2.  | <b>Case No. - 5496/2017</b> Shri Shardul Shah, Director India Waste Management Pvt. Ltd, 30, MLA Quarters, Bhadbhada Road, T.T. Nagar, Bhopal, (M.P.) – 462003<br><b>Reference No. for online tracking of project details- SIA/MP/MIS/16930/2016.</b> | 5021 dtd. 16-01-17.<br>rec. dt. 18/01/17.  | <b>Prior Environment Clearance for Common Bio Medical Waste Treatment Facility at Plot No. E3, Industrial Area No. –II, Mandideep, Tehsil - Goharganj, Distt.- Raisen, (M.P.) <u>Cat. 7 (da) Common Hazardous Waste Treatment Storageand disposal facilities (TSDFs)</u></b>  | <b><u>FoR – ToR</u></b>                             |
| 3.  | <b>Case No. - 5498/2017</b> M/s Thinq Pharma, A/30, Thinq House Road No. 10, MIDC Wage Estate, Thane West (M.H.)<br><b>Reference No. for online tracking of project details- SIA/MP/IND2/17975/2016.</b>  | 5040 dtd. 18-01-17.<br>rec. dt. 24 / 01/17.  | <b>Prior Environment Clearance for Manufacturing of Product Mix in THINQ Pharma - CRO Ltd, Plot No. M-40 &amp; 42, Sector - 3, Pithampur, Distt. - Dhar, (M.P.) <u>Cat. 5 (f) Project.</u></b>  | <b><u>FoR – ToR</u></b>                             |
| 4.  | <b>Case No. - 5507/2017</b> Public Works Department, Project Implementation Unit, Bhopal Shed No. - 14A, Jawahar Chowk, Distt. - Bhopal, (M.P.) – 462003<br><b>Reference No. for online tracking of project details- SIA/MP/NCP/17542/2016.</b>       | 5198 dtd. 04-02-17.<br>rec. dt. 08 / 02/17.  | <b>Prior Environment Clearance for Revision and Expansion Project Hamidia Hospital (Smart Medi City), Royal Market, Hamidia Road, Peer Gate, Bhopal, (M.P.) Plot Area – 1,61,915.4 m2, Proposed FAR of Hospital - 1,87,470.15 m2, Built Up Area of Hospital - 1,87,,470.15 m2, <u>Cat. 8(b) Project.</u></b>  | <b><u>FoR – ToR Building Construction.</u></b>      |
| 5.  | <b>Case No. - 5493/2017</b> M/s Bhopal Incinerators Ltd, 6/5, Sector-H, Industrial Area, Govindpura, Bhopal, (M.P.) – 462023<br><b>Reference No. for online tracking of project details (SIA/MP/MIS/16753/2016)</b>                                   | 4950 dtd. 06-01-17.<br>rec. dt. 10/01/17. PP Abs. 286 <sup>th</sup> SEAC Meeting dt. 28/01/17. | <b>Prior Environment Clearance for Bhopal Incinerators Ltd. at 6/5, Sector-H, Industrial Area, Govindpura, Bhopal, (M.P.) Capacity – 1200 KG/day ha. <u>Cat. 7 (da) Cat. 7 (da) Common Hazardous Waste Treatment Storageand disposal facilities (TSDFs)</u></b>   | <b><u>FoR – ToR</u></b>                             |
| 6.  | <b>5511/2017</b> Chief Engineer, NVDA Sanawad, Indira Sagar Project (Canal), Sanawad, Distt. - Khandwa, (M.P.)<br><b>Reference No. for online tracking of project details (SIA/MP/RIV/18153/2017)</b>   | 5273 dtd. 14-02-17.<br>rec. dt. 14/02/17.  | <b>Prior Environment Clearance for Chhaigaon Makhan Lift Irrigation Scheme, Tehsil - Khandwa, Dist. Khandwa, (M.P.) Lifting Point : Indira Sagar Main Canal from R.D. 22- R.D. 36 km., CCA – 35000 ha.,</b>   | <b><u>FoR – ToR</u></b>                             |

|  |   |   |                                |
|--|---|---|--------------------------------|
| <p>7. <b>Case No. - 5451/2016</b> M/s Hindustan Petroleum Corpn. Ltd, Mangalia Pol Depot (Indore), Sanver Road, Mangalia Village, Indore, (M.P.)-453771<br/> <b>Reference No. for online tracking of project details- SIA/MP/IND2/17086/2016</b></p> | <p>285<sup>th</sup> SEAC Meeting dt. 26/12/16 Qry Reply Submission by SEIAA letter no. 5265 dt. 13/02/17 rec. dt. 14/02/17.</p> | <p><i>Augmentation of existing HPCL POL depot including Additional Product Storage Tankage at Village. - Mangalia, Tehsil. Sanwer, Distt.- Indore, (M.P.)</i></p> | <p><u><b>FoR – ToR</b></u></p> |
|--|---|---|--------------------------------|

- Note:-**
1. All the PP's who have applied for issuance of TOR by online registration of the proposals can take-up the EIA studies as per the Standard TOR developed by the Minister of Environment, Forest & Climate Change, New Delhi. The SEAC will have the right and the responsibility of stipulating additional TOR in specific Projects considering its project features.
  2. The State Expert Appraisal Committee will consider the project proposals for prior EC, in its meeting to be held on **25 /02/2017** at 10. 30 A.M. at M.P. Pollution Control Board, E-5, Arera Colony, Bhopal. The Project proponents are requested to attend the meeting in person or depute a competent person having proper & full background of the proposed project with proper authorization in writing Capacity-Authority Letter), who can explain the project and also respond to the queries & offer his views on suggestions made by the committee. Such person would be required to make a presentation on the salient features of the project, the related environmental issues, risk assessment and proposed Environmental Management Plan. His commitment before the committee will be treated as your commitment.