

1. Case No. -5159/16 Shri Vikas Singh, Authorized Signatory, M/s Banyan Tree Pvt. Ltd., 310, 3rd Floor, Vardhman Taru Plaza, C.U. Block, Pitampura, Delhi Prior Environment Clearance for Sand Deposit in an area of 15.00 ha. (1,50,000 cum/year) at Khasra no.-398, Village-Andiya, Tehsil-Udaipura, District-Raisen (MP)

This is case of Sand Quarry. The application was forwarded by SEIAA to SEAC for appraisal. The proposed site, at Khasra no.-398, Village-Andiya, Tehsil-Udaipura, District-Raisen (MP) 15.00 ha. The project requires prior EC before commencement of any activity at site.

PP has submitted a copy of approved Mining Plan, letter from Mining Officer certifying the leases within 1000 meters radius around the site and requisite information in the prescribed format duly verified by the Tehsildar and DFO. Concerned Mining Officer vides letter no.1357, dated: 09/10/15, has reported that there is no more mine operating or proposed within 1000 meters around the said mine.

The case was presented by the PP and their consultant wherein it was observed by the committee that as per the replenishment plan submitted by the PP along with the mine plan, the replenishment capacity is measured as 1,20,000 cum/year. Other submissions made by PP were found satisfactory and acceptable and thus the committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B' :

- Production of Sand as per mine plan with quantity not exceeding 1,50,000 cum/year.
- District Authority should record the deposition of sand in the lease area at an interval of 100 meters annually in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority may allow lease holder to excavate the replenished quantity of sand in the subsequent year.
- Evacuation of sand should not be allowed through the roads passing through the villages.
- Heavy vehicles (Hywa) should not be allowed on Kachcha, narrow roads.
- If causeway (Rapta) is required to be constructed for mining. It should be removed completely before rainy season every year.
- The river bank from where access ramps are made should be restored and access should be closed every year before rainy season.

- No diversion of active channel should be allowed for mining.
- 20 meter area be left from the northern bank of the QL as no mining area to avoid bank erosion

2. Case No. 4921/16 Shri Litesh Jha, Authorized Signatory, H.I.G.G.D.-5, Dindayal Nagar, Phase-1, Kanth Road, Muradabad (UP). Prior Environment Clearance for River Sand Quarry in an area of 4.00 ha. (40,000 cum/year) at Khasra no.-187, Village-Kotparamahant, Tehsil-Bareli, District-Raisen (MP)

This is case of River Sand Quarry. The application was forwarded by SEIAA to SEAC for appraisal. The proposed site, at Khasra no.-187, Village-Kotparamahant, Tehsil-Bareli, District-Raisen (MP) 4.00 ha. The project requires prior EC before commencement of any activity at site.

PP has submitted a copy of approved Mining Plan, letter from Mining Officer certifying the leases within 500 meters radius around the site and requisite information in the prescribed format duly verified by the Tehsildar and DFO. Concerned Mining Officer vide letter no.-385, dated:-30/3/16, has reported that there is 01 more mine operating or proposed within 500 meters around the said mine with total area of 15.21 ha including this mine.

The case was presented by the PP and their consultant wherein submissions made by PP were found satisfactory and acceptable and thus the committee decided to recommend the case for grant of prior EC subject to the following special conditions in addition to the standard conditions at annexure 'B':

- Production of Sand as per mine plan with quantity not exceeding 40,000 cum/year.
- District Authority should record the deposition of sand in the lease area at an interval of 50 meters annually in the last week of September and maintain the records in RL (Reduce Level) Measurement Book. Accordingly authority may allow lease holder to excavate the replenished quantity of sand in the subsequent year.
- Evacuation of sand should not be allowed through the roads passing through the villages.
- Heavy vehicles (Hywa) should not be allowed on Kachcha, narrow roads.

- If causeway (Rapta) is required to be constructed for mining. It should be removed completely before rainy season every year.
- The river bank from where access ramps are made should be restored and access should be closed every year before rainy season.
- No diversion of active channel should be allowed for mining.